Contents

VOLUME 5 NUMBER 1

1 Editorial

MicroReviews

- 3 The molecular basis of carbon-starvationinduced general resistance in Escherichia coli A. Matin
- The regulation of genetic competence in Bacillus subtilis
 D. Dubnau
- Molecular chaperones and protein translocation across the *Escherichia coli* inner membrane C. A. Kumamoto

- 23 Computer modelling of the NAD binding site of ADP-ribosylating toxins: active-site structure and mechanism of NAD binding M. Domenighini, C. Montecucco, W. C. Ripka & R. Rappuoli
- Evolution of the MIP family of integral membrane transport proteins
 G. M. Pao, L.-F. Wu, K. D. Johnson, H. Höfte, M. J. Chrispeels, G. Sweet, N. N. Sandal & M. H. Saier, Jr
- 39 Identification of glyA as a symbiotically essential gene in Bradyrhizobium japonicum S. Rossbach & R. Hennecke
- Identification of a central regulator of stationary-phase gene expression in Escherichia coli
 R. Lange & R. Hengge-Aronis
- 61 987P fimbrial gene identification and protein characterization by T7 RNA polymeraseinduced transcription and TnphoA mutagenesis D. M. Schifferli, E. H. Beachey & R. K. Taylor
- 71 Molecular characterization of the O-acetyl transferase gene of converting bacteriophage SF6 that adds group antigen 6 to Shigella flexneri
 N. K. Verma, J. M. Brandt, D. J. Verma & A. A. Lindberg
- Repression and derepression of conjugation of plasmid R1 by wild-type and mutated finP antisense RNA
 G. Koraimann, C. Koraimann, V. Koronakis,
 S. Schlager & G. Högenauer
- 89 Partial deletion of the Rhizobium phaseoli CFN23 symbiotic plasmid implies a concomitant amplification of plasmid DNA sequences G. Soberón-Chávez, R. Nájera, E. Calva & M. Fernández
- 97 Control of replication of plasmid R1: the intergenic region between copA and repA modulates the level of expression of repA A. Berzal-Herranz, E. G. H. Wagner & R. Díaz-Orejas

- 109 Chlamydia trachomatis contains a protein similar to the Legionella pneumophila mip gene product
 A. G. Lundemose, S. Birkelund, S. J. Fey, P. Mose Larsen & G. Christiansen
- Folding in vitro and transport in vivo of preβ-lactamase are SecB independent A. A. Laminet, C. A. Kumamoto, A. Plückthun
- Molecular characterization of an operon (hyp) necessary for the activity of the three hydrogenase isoenzymes in Escherichia coli S. Lutz, A. Jacobi, V. Schlensog, R. Böhm, G. Sawers & A. Böck
- 137 Control of pilus expression in Neisseria gonorrhoeae as an original system in the family of two-component regulators M. K. Taha, B. Dupuy, W. Saurin, M. So & C. Marchal
- 149 Completion of DNA repair-deficient

 Escherichia coli by the yeast Apn1 apurinic/
 apyrimidinic endonuclease gene
 D. Ramotar, S. C. Popoff & B. Demple
- 157 Sequences downstream from the transcriptional start site are essential for microaerobic, but not symbiotic, expression of the *Rhizobium meliloti nifHDK* promoter Y.-P. Wang, K. Birkenhead, A. Dobson, B. Boesten & F. O'Gara
- Molecular characterization of the gor gene encoding glutathione reductase from Pseudomonas aeruginosa: determinants of substrate specificity among pyridine nucleotide-disulphide oxidoreductases A. C. F. Perry, N. Ni Bhriain, N. L. Brown & D. A. Rouch
- The oligopeptide transport system of Bacillus subtilis plays a role in the initiation of sporulation
 M. Perego, C. F. Higgins, S. R. Pearce,
 M. P. Gallagher & J. A. Hoch
- Virulence-associated chromosomal loci of Shigella flexneri identified by random Tn5 insertion mutagenesis
 N. Okada, C. Sasakawa, T. Tobe, M. Yamada, S. Nagai, K. A. Talukder, K. Komatsu, S. Kanegasaki & M. Yoshikawa
- Purification and characterization of two-subunit cytochrome aa₃ from Bacillus cereus
 J. A. Garcia-Horsman, B. Barquera,
 D. Gonzalez-Halphen & J. E. Escamilla
- Evidence that the entire length of a kinetoplast DNA minicircle is transcribed in *Trypanosoma cruzi* R. Thertulien, G. Harth & C. G. Haidaris
- 217 Characterization of the yellow-pigment genes of *Erwinia herbicola*L.-Y. Lee & S.-T. Liu

225 A recombinant C-terminal toxin fragment provides evidence that membrane insertion is important for Clostridium perfringens enterotoxin cytotoxicity P. C. Hanna & B. A. McClane

VOLUME 5 NUMBER 2

MicroReviews

- The replication of plasmid pSC101
 D. Manen & L. Caro
- 239 Molecular aspects of microbial ice nucleation G. Warren & P. Wolber

- 245 3' processing in *Dictyostelium*: unusual sequence requirements and interaction with a downstream promoter

 M. Maniak & W. Nellen
- 253 The cell envelope of the hyperthermophilic archaebacterium *Pyrobaculum organotrophum* consists of two regularly arrayed protein layers: three-dimensional structure of the outer layer
 B. M. Phipps, R. Huber & W. Baumeister
- 267 Molecular cloning, partial purification, and characterization of a haemin-binding lipoprotein from *Haemophilus influenzae* type b M. S. Hanson & E. J. Hansen
- 279 Pilin expression and processing in pilus mutants of Neisseria gonorrhoeae: critical role of Gly_1 in assembly
 M. Koomey, S. Bergstrom, M. Blake & J. Swanson
- The stringent response in Streptomyces coelicolor A3(2)
 E. Strauch, E. Takano, H. A. Baylis & M. J. Bibb
- 299 Identification of gene products of the P1 operon of Mycoplasma pneumoniae
 B. Sperker, P.-c. Hu & R. Herrmann
- 307 Molecular analysis of the virulence locus of the Salmonella dublin plasmid pSDL2 M. Krause, C. Roudier, J. Fierer, J. Harwood, & D. Guiney
- An O antigen can interfere with the function of the Yersinia pseudotuberculosis invasin protein
 D. L. Voorhis, S. Dillon, S. B. Formal & R. R. Isberg
- 327 Role of transcription pausing in the control of the pyrE attenuator in Escherichia coli J. T. Andersen, K. F. Jensen & P. Poulsen
- Molecular analysis of the methane monooxygenase (MMO) gene cluster of Methylosinus trichosporium OB3b
 D. L. N. Cardy, V. Laidler, G. P. C. Salmond & J. C. Murrell

- 343 The general protein-export pathway is directly required for extracellular pullulanase secretion in *Escherichia coli* K12 A. P. Pugsley, M. G. Kornacker & I. Poquet
- 353 Promoter sequence requirements for Fnrdependent activation of transcription of the narGHJI operon M. S. Walker & J. A. DeMoss
- 361 Detection of a gene encoding a phosphatidylinositol-specific phospholipase C that is co-ordinately expressed with listeriolysin in *Listeria monocytogenes* M. Leimeister-Wächter, E. Domann & T. Chakraborty
- 367 Identification of phosphatidylinositol-specific phospholipase C activity in Listeria monocytogenes: a novel type of virulence factor?
 J. Mengaud, C. Braun-Breton, & P. Cossart
- 373 Nucleotide sequence of the Escherichia coli thymidine kinase gene provides evidence for conservation of functional domains and quaternary structure M. E. Black & D. E. Hruby
- 381 Genetic analysis of superoxide dismutase, the 23 kilodalton antigen of *Mycobacterium tuberculosis*Y. Zhang, R. Lathigra, T. Garbe, D. Catty & D. Young
- 393 Functioning of the stable signal peptide of the pCloDF13-encoded bacteriocin release protein J. Luirink, B. Duim, J. W. L. de Gier & B. Oudega
- 401 The role of a stress-response protein in Salmonella typhimurium virulence K. Johnson, I. Charles, G. Dougan, D. Pickard, P. O'Gaora, G. Costa, T. Ali, I. Miller & C. Hormaeche
- 409 P.70 pertactin, an outer-membrane protein from Bordetella parapertussis: cloning, nucleotide sequence and surface expression in Escherichia coli L. J. Li, G. Dougan, P. Novotny & I. G. Charles
- Segment IV of a Salmonella flagellin gene specifies flagellar antigen epitopes
 S. M. C. Newton, R. D. Wasley, A. Wilson,
 L. T. Rosenberg, J. F. Miller & B. A. D. Stocker
- 427 Sequence and expression analysis of a cAMPresponsive gene regulated during late development of *Dictyostelium discoideum* D, P. Ramii, J. T. J. Donovan & B. D. Harnes
- Design of cAMP-CRP-activated promoters in Escherichia coli
 P. Valentin-Hansen, B. Holst,
 L. Søgaard-Andersen, J. Martinussen, J. Nesvera
 & S. R. Douthwaite
- The TraM protein of plasmid R1 is a DNAbinding protein
 M. Schwab, H. Gruber & G. Högenauer

- 447 The secretion genes of Pseudomonas aeruginosa alkaline protease are functionally related to those of Erwinia chrysanthemi proteases and Escherichia coli α-haemolysin J. Guzzo, F. Duong, C. Wandersman, M. Murgier, & A. Lazdunski
- 455 Two global regulators repress the anaerobic expression of MnSOD in Escherichia coli::Fur (ferric uptake regulation) and Arc (aerobic respiration control)

 B. Tardat & D. Touati
- 467 The trpC gene of Phanerochaete chrysosporium is unique in containing an intron but nevertheless maintains the order of functional domains seen in other fungi A. Schrank, C. Tempelaars, P. F. G. Sims, S. G. Oliver & P. Broda
- Post-transcriptional control of a sporulation regulatory gene encoding transcription factor σ^H in *Bacillus subtilis* J. Healy, J. Weir, I. Smith, & R. Losick
- Variable antigen genes of the relapsing fever agent Borrelia hermsii are activated by promoter addition
 A. G. Barbour, N. Burman, C. J. Carter, T. Kitten & S. Bergström
- 495 Roles of DNA adenine methylation in controlling replication of the REPI replicon of plasmid pCoIV-K30
 A. E. Gammie & J. H. Crosa
- 505 Physical and genetic map of the Methanococcus voltae chromosome J. Sitzmann & A. Klein

MicroReviews

- 515 Selenocysteine: the 21st amino acid A. Böck, K. Forchhammer, J. Heider, W. Leinfelder, G. Sawers, B. Veprek & F. Zinoni
- 521 Pore-forming cytolysins of Gram-negative bacteria
 R. A. Welch
- Physiological roles of the DnaK and GroE stress proteins: catalysts of protein folding or macromolecular sponges?
 R. A. LaRossa & T. K. Van Dyk
- Physiology and molecular genetics of poly(β-hydroxy-alkanoic acid) synthesis in
 Alcaligenes eutrophus
 A. Steinbüchel & H. G. Schlegel

Research Articles

Organization of the fimbrial gene region of Bacteroides nodosus: class I and class II strains
 M. Hobbs, B. P. Dalrymple, P. T. Cox,
 S. P. Livingstone, S. F. Delaney & J. S. Mattick

- 561 Gene sequences and comparison of the fimbrial subunits representative of Bacteroides nodosus serotypes A to I: class I and class II strains
 J. S. Mattick, B. J. Anderson, P. T. Cox, B. P. Dalrymple, M. M. Bills, M. Hobbs & J. R. Egerton
- Catabolite repression of α-amylase gene expression in Bacillus subtilis involves a transacting gene product homologous to the Escherichia coli lacl and galR repressors
 T. M. Henkin, F. J. Grundy, W. L. Nicholson & G. H. Chambliss
- 585 Intervening sequences (IVSs) in the 23S ribosomal RNA genes of pathogenic Yersinia enterocolitica strains. The IVSs in Y. enterocolitica and Salmonella typhimurium have a common origin
 M. Skurnik & P. Toivanen
- 595 Elimination of the disulphide bridge in fragment B of diphtheria toxin: effect on membrane insertion, channel formation, and ATP binding H. Stenmark, S. Olsnes & I. H. Madshus
- The cloning and DNA sequence of the gene for the glutathione-regulated potassium-efflux system KefC of Escherichia coli
 A. W. Munro, G. Y. Ritchie, A. J. Lamb,
 R. M. Douglas & I. R. Booth
- IS801, an insertion sequence element isolated from Pseudomonas syringae pathovar phaseolicola
 M. Romantschuk, G. Y. Richter,
 P. Mukhopadhyay & D. Mills
- 623 Error-prone EF-Tu reduces in vivo enzyme activity and cellular growth rate
 D. Hughes
- 631 A copy-number mutant of plasmid pSC101 G.-X. Xia, D. Manen, T. Goebel, P. Linder, G. Churchward. & L. Caro
- 641 Ionizing groups in lipopolysaccharides of Pseudomonas cepacia in relation to antibiotic resistance
 A. D. Cox & S. G. Wilkinson
- The ferric-pseudobactin receptor PupA of Pseudomonas putida WCS358: homology to TonB-dependent Escherichia coli receptors and specificity of the protein W. Bitter, J. D. Marugg, L. A. de Weger, J. Tommassen & P. J. Weisbeek
- 657 Gas vesicle synthesis in the cyanobacterium Pseudanabaena sp.: occurrence of a single photoregulated gene
 T. Damerval, A.-M. Castets, J. Houmard & N. Tandeau de Marsac
- Involvement of fixLJ in the regulation of nitrogen fixation in Azorhizobium caulinodans
 P. A. Kaminski & C. Elmerich

- 675 Penicillin-binding protein 4 of Escherichia coli: molecular cloning of the dacB gene, controlled overexpression, and alterations in murein composition

 B. Korat, H. Mottl, & W. Keck
- Transcriptional analysis of the restriction and modification genes of bacteriophage P1
 A. D. Sharrocks & D. P. Hornby
- 695 Structure and sequence of the *rfb* (O antigen) gene cluster of *Salmonella* serovar typhimurium (strain LT2)

 X.-M. Jiang, B. Neal, F. Santiago, S. J. Lee,
 L. K. Romana & P. R. Reeves
- Gene 32 transcription and mRNA processing in T4-related bacteriophages
 D. Loayza, A. J. Carpousis & H. M. Krisch
- Comparison of the class 1 outer membrane proteins of eight serological reference strains of *Neisseria meningitidis* M. C. J. Maiden, J. Suker, A. J. McKenna, J. A. Bygraves & I. M. Feavers
- 737 nolC, a Rhizobium fredii gene involved in cultivar-specific nodulation of soybean, shares homology with a heat-shock gene H. B. Krishnan & S. G. Pueppke
- 747 Osmotic induction of the periplasmic trehalase in Escherichia coli K12: characterization of the treA gene promoter F. Repoila & C. Gutierrez
- 757 The role of σ^F in prespore-specific transcription in *Bacillus subtilis* S. R. Partridge, D. Foulger and J. Errington

MicroReviews

- 769 The Escherichia coli cell cycle: one cycle or multiple independent processes that are coordinated?
 K. Nordström, R. Bernander & S. Dasgupta
- 775 Calcium in bacteria: a solution to which problem?
 V. Norris, M. Chen, M. Goldberg, J. Voskuil, G. McGurk & I. B. Holland
- 779 Local DNA topology and gene expression: the case of the *leu-500* promoter
 D. M. J. Lilley & C. F. Higgins
- 785 A model for asymmetric septum formation during sporulation in *Bacillus subtilis*J. Errington
- 791 Cell division and peptidoglycan assembly in Escherichia coli
 N. Nanninga
- 797 A family of clostridial and streptococcal ligand-binding proteins with conserved Cterminal repeat sequences B. W. Wren

- A suppressor of yeast spp81/ded1 mutations encodes a very similar putative ATP-dependent RNA helicase
 D. J. Jamieson & J. D. Beggs
- 813 Translational coupling varying in efficiency between different pairs of genes in the central region of the *atp* operon of *Escherichia coli* K. Hellmuth, G. Rex, B. Surin, R. Zinck & J. E. G. McCarthy
- 825 ERIC sequences: a novel family of repetitive elements in the genomes of *Escherichia coli, Salmonella typhimurium* and other enterobacteria C. S. J. Hulton, C. F. Higgins & P. M. Sharp
- 835 Characterization of the RNA polymerases of Crithidia fasciculata

 J. Köck & A. W. C. A. Cornelissen
- The IgA-binding β antigen of the c protein complex of Group B streptococci: sequence determination of its gene and detection of two binding regions
 P. G. Jerlström, G. S. Chhatwal & K. N. Timmis
- The gene specifying RNase E (rne) and a gene affecting mRNA stability (ams) are the same gene
 L. Taraseviciene, A. Miczak & D. Apirion
- 857 Genetic studies of cleavage-initiated mRNA decay and processing of ribosomal 9S RNA show that the *Escherichia coli ams* and *rne* loci are the same Ö. Melefors & A. von Gabain
- 865 Two distinct steps in pullulanase secretion by Escherichia coli K12
 A. P. Pugsley, I. Poquet & M. G. Kornacker
- 875 Structure and function of periplasmic chaperone-like proteins involved in the biosynthesis of K88 and K99 fimbriae in enterotoxigenic *Escherichia coli*D. Bakker, C. E. M. Vader, B. Roosendaal, F. R. Mooi, B. Oudega & F. K. de Graaf
- 887 Temperature-regulated expression of invasion genes in Shigella flexneri is controlled through the transcriptional activation of the virB gene on the large plasmid
 T. Tobe, S. Nagai, N. Okada, B. Adler,
 M. Yoshikawa, & C. Sasakawa
- 895 Origin of tetracycline efflux proteins: conclusions from nucleotide sequence analysis R. P. Sheridan & I. Chopra
- 901 Regulation of the *chIA* locus of *Escherichia coli* K12: involvement of molybdenum cofactor K. P. Baker & D. H. Boxer
- 909 Formation of Rhizobium phaseoli symbiotic plasmids by genetic recombination G. Soberón-Chávez, R. Nájera, G. Espín & S. Moreno

- 917 L-pilin variants of *Neisseria gonorrhoeae* MS11
 P. A. Manning, A. Kaufmann, U. Roll, J. Pohlner,
 T. F. Meyer & R. Haas
- Isolation and properties of the RepA1 protein of the IncFII replicon, RepFIC
 R. Maas, J. Oppenheim, S. Saadi, T. Fuchs & W. K. Maas
- 933 Insertional inactivation of the Staphylococcus aureus β-toxin by bacteriophage φ13 occurs by site- and orientation-specific integration of the φ13 genome
 D. Coleman, J. Knights, R. Russell, D. Shanley, T. H. Birkbeck, G. Dougan & I. Charles
- 941 A sugar-specific porin, ScrY, is involved in sucrose uptake in enteric bacteria K. Schmid, R. Ebner, K. Jahreis, J. W. Lengeler & F. Titgemeyer
- Pleiotropic changes resulting from depletion of Era, an essential GTP-binding protein in Escherichia coli
 C. G. Lerner & M. Inouye
- Replication mutants of Staphylococcus aureus macrolide-lincosamide-streptogramin B resistance plasmid pT48
 Catchpole & K. G. H. Dyke
- 969 A novel function of the cAMP-CRP complex in Escherichia coli: cAMP-CRP functions as an adaptor for the CytR repressor in the deo operon L. Søgaard-Andersen, H. Pedersen, B. Holst & P. Valentin-Hansen
- The surface-located YopN protein is involved in calcium signal transduction in Yersinia pseudotuberculosis
 Å. Forsberg, A.-M. Viitanen, M. Skurnik & H. Wolf-Watz
- 987 Modular structure of FixJ: homology of the transcriptional activator domain with the -35 domain of sigma factors
 D. Kahn & G. Ditta

MicroReviews

- 999 The role of RNA polymerase in transcriptional fidelity
 R. T. Libby & J. A. Gallant
- 1005 The tol gene products and the import of macromolecules into Escherichia coli R. E. Webster

Research Articles

 Molecular analysis of a complex locus from Haemophilus influenzae involved in phasevariable lipopolysaccharide biosynthesis
 D. J. Maskell, M. J. Szabo, P. D. Butler, A. E. Williams & E. R. Moxon

- 1023 ymoA, a Yersinia enterocolitica chromosomal gene modulating the expression of virulence functions
 G. R. Cornelis, C. Sluiters, I. Delor, D. Geib, K. Kaniga, C. Lambert de Rouvroit, M.-P. Sory, J.-C. Vanooteghem & T. Michiels
- 1035 Peptide transport and chemotaxis in Escherichia coli and Salmonella typhimurium: characterization of the dipeptide permease (Dpp) and the dipeptide-binding protein W. N. Abouhamad, M. Manson, M. M. Gibson & C. F. Higgins
- DNA sequence and analysis of the bet genes encoding the osmoregulatory choline–glycine betaine pathway of Escherichia coli
 T. Lamark, I. Kaasen, M. W. Eshoo,
 P. Falkenberg, J. McDougall & A. R. Strøm
- 1065 A class of gyrB mutants, substantially unaffected in DNA topology, suppresses the Escherichia coli K12 ftsZ₈₄ mutation
 I. Ruberti, F. Crescenzi, L. Paolozzi & P. Ghelardini
- 1073 Structure–function analysis of the K88ab fimbrial subunit protein from porcine enterotoxigenic *Escherichia coli* P. A. Pedersen
- 1081 Analysis of the gluconate (gnt) operon of Bacillus subtilis
 A. Reizer, J. Deutscher, M. H. Saier, Jr & J. Reizer
- 1091 Identification and characterization of a conserved outer-membrane protein of Neisseria gonorrhoeae R. C. Judd, J. C. Strange, R. K. Pettit & W. M. Shafer
- 1097 Gonococcal penicillin-binding protein 3 and the surface-exposed 44 kDa peptidoglycanbinding protein appear to be the same molecule W. M. Shafer & R. C. Judd
- 1105 Binding of the immunity protein inactivates colicin M
 T. Ölschläger, A. Turba & V. Braun
- 1113 Molecular cloning of a gene involved in lipooligosaccharide biosynthesis and virulence expression by Haemophilus influenzae type B L. D. Cope, R. Yogev, J. Mertsola, J. L. Latimer, M. S. Hanson, G. H. McCracken, Jr & E. J. Hansen
- 1125 The cephamycin biosynthetic genes pcbAB, encoding a large multidomain peptide synthetase, and pcbC of Nocardia lactamdurans are clustered together in an organization different from the same genes in Acremonium chrysogenum and Penicillium chrysogenum

 J. J. R. Coque, J. F. Martín, J. G. Calzada & P. Liras

- 1135 Characterization of legiolysin (*Ily*), responsible for haemolytic activity, colour production and fluorescence of *Legionella pneumophila* E. Wintermeyer, U. Rdest, B. Ludwig, A. Debes & J. Hacker
- 1145 Chromosome strand segregation during sporulation in *Bacillus subtilis*J. Errington & R. G. Wake
- 1151 Common and variable domains of the flagellin gene, flaA, in Campylobacter jejuni
 S. H. Fischer & I. Nachamkin
- 1159 A DNA region of 9 kbp contains all genes necessary for gas vesicle synthesis in halophilic archaebacteria
 M. Horne, C. Englert, C. Wimmer & P. Pfeifer
- 1175 A pyruvate-stimulated adenylate cyclase has a sequence related to the fes/fps oncogenes and to eukaryotic cyclases
 E. P. Peters, A. F. Wilderspin, S. P. Wood, M. J. J. M. Zvelebil, O. Sezer & A. Danchin
- 1187 A cloned ompR-like gene of Streptomyces lividans 66 suppresses defective melC1, a putative copper-transfer gene H.-C. Tseng & C. W. Chen
- 1197 Genetic and biochemical analysis of the aspartokinase from Corynebacterium glutamicum J. Kalinowski, J. Cremer, B. Bachmann, L. Eggeling, H. Sahm & A. Pühler
- 1205 Expression of Salmonella typhi and
 Escherichia coli OmpC is influenced differently
 by medium osmolarity; dependence on
 Escherichia coli OmpR
 J. L. Puente, A. Verdugo-Rodríguez & E. Calva
- 1211 Escherichia coli chromosomal mutations that permit direct cloning of the Bacteroides fragilis metallo-β-lactamase gene, ccrA
 B. A. Rasmussen, Y. Gluzman & F. P. Tally
- 1221 Nucleotide sequence of the endoglucanase C gene (cenC) of Cellulomonas fimi, its highlevel expression in Escherichia coli, and characterization of its products J. B. Coutinho, B. Moser, D. G. Kilburn, R. A. J. Warren & R. C. Miller. Jr
- 1235 Light and oxygen effects share a common regulatory DNA sequence in *Rhodobacter capsulatus* G. Klug, N. Gad'on, S. Jock & M. L. Narro
- 1241 The glucose permease of the phosphotransferase system of Bacillus subtilis: evidence for II^{Glc} and III^{Glc} domains G. Gonzy-Tréboul, J. H. de Waard, M. Zagorec & P. W. Postma

- 1251 Evidence for a common molecular origin of the capsule gene loci in Gram-negative bacteria expressing group II capsular polysaccharides M. Frosch, U. Edwards, K. Bousset, B. Krauβe & C. Weisgerber
- 1265 The role of the OOP antisense RNA in coliphage λ development
 L. Krinke, M. Mahoney & D. L. Wulff
- 1273 A gene (prsA) of Bacillus subtilis involved in a novel, late stage of protein export V. P. Kontinen, P. Saris & M. Sarvas
- 1285 The hha gene modulates haemolysin expression in Escherichia coli
 J. M. Nieto, M. Carmona, S. Bolland, Y. Jubete, F. de la Cruz & A. Juárez

MicroReviews

- 1295 The RecA protein as a recombinational repair system
 M. M. Cox
- 1301 Fermentable sugars and intracellular acidification as specific activators of the RAS—adenylate cyclase signalling pathway in yeast: the relationship to nutrient-induced cell cycle control

 J. M. Thevelein

- 1309 Cassette mutagenesis implicates a helix-turnhelix motif in promoter recognition by the novel RNA polymerase sigma factor σ⁵⁴ J. R. Coppard & M. J. Merrick
- 1319 Genetic analysis of the Erwinia chrysanthemi 3937 chrysobactin iron-transport system: characterization of a gene cluster involved in uptake and biosynthetic pathways T. Franza, C. Enard, F. van Gijsegem & D. Expert
- 1331 The ArsR protein is a *trans*-acting regulatory protein
 J. Wu & B. P. Rosen
- 1337 Analysis of an anaerobically induced promoter for the cobalamin biosynthetic genes in Salmonella typhimurium
 A. A. Richter-Dahlfors & D. I. Andersson
- Mitochondrial gene sequences show fungal homology for *Pneumocystis carinii* F. J. Pixley, A. E. Wakefield, S. Banerji & J. M. Hopkin
- 1353 Characterization of a polygalacturonase gene of Aspergillus niger RH5344

 E. Ruttkowski, N. Q. Khanh, F.-J. Wientjes & M. Gottschalk

- 1363 Sequential activation of dual promoters by different sigma factors maintains spoVJ expression during successive developmental stages of Bacillus subtilis

 D. Foulger & J. Errington
- 1375 A chimeric nucleotide-binding protein, encoded by a hisP-malK hybrid gene, is functional in maltose transport in Salmonella typhimurium E. Schneider & C. Walter
- Intranasal immunization using the B subunit of the Escherichia coli heat-labile toxin fused to an epitope of the Bordetella pertussis P.69 antigen
 M. Lipscombe, I. G. Charles, M. Roberts, G. Dougan, J. Tite & N. F. Fairweather
- Construction and characterization of Bordetella pertussis mutants lacking the virregulated P.69 outer membrane protein
 M. Roberts, N. F. Fairweather, E. Leininger,
 D. Pickard, E. L. Hewlett, A. Robinson,
 C. Hayward, G. Dougan & I. G. Charles
- 1405 Organization of genes encoding membrane proteins of the Escherichia coli ferrienterobactin permease
 S. S. Chenault & C. F. Earhart
- 1415 Nucleotide sequence and genetic organization of the ferric enterobactin transport system: homology to other periplasmic binding protein-dependent systems in *Escherichia coli* C. M. Shea & M. A. McIntosh
- 1429 Characterization of the opa (class 5) gene family of Neisseria meningitidis
 E. L. Aho, J. A. Dempsey, M. M. Hobbs,
 D. G. Klapper & J. G. Cannon
- 1439 Type 1 fimbriae mutants of Escherichia coli K12: characterization of recognized afimbriate strains and construction of new fim deletion mutants

 C. Blomfield, M. S. McClain & B. I. Eisenstein
- Allelic exchange in Escherichia coli using the Bacillus subtilis sacB gene and a temperature-sensitive pSC101 replicon
 I. C. Blomfield, V. Vaughn, R. F. Rest & B. I. Eisenstein
- 1459 Organization of the genes coding for the reaction-centre L and M subunits and B870 antenna polypeptides α and β from the aerobic photosynthetic bacterium *Erythrobacter* species OCH114 R. Liebetanz, U. Hornberger & G. Drews
- 1469 Identification and molecular characterization of a transcriptional regulator from *Pseudomonas aeruginosa* PAO1 exhibiting structural and functional similarity to the FNR protein of *Escherichia coli* R. G. Sawers

- 1483 Anaerobic growth and cyanide synthesis of Pseudomonas aeruginosa depend on anr, a regulatory gene homologous with fnr of Escherichia coli A. Zimmermann, C. Reimmann, M. Galimand & D. Haas
- 1491 Genetic analysis of the rfb region of Shigella flexneri encoding the Y serotype O-antigen specificity D. F. Macpherson, R. Morona, D. W. Beger, K.-C. Cheah & P. A. Manning
- 1501 Anthrax toxin protective antigen: low-pHinduced hydrophobicity and channel formation in liposomes T. M. Koehler & R. J. Collier
- 1507 Pro-peptide as an intermolecular chaperone: renaturation of denatured subtilisin E with a synthetic pro-peptide Y. Ohta, H. Hojo, S. Aimoto, T. Kobayashi, X. Zhu, F. Jordan & M. Inouye
- 1511 Mutations in the aphA-2 gene of transposon Tn5 mapping within the regions highly conserved in aminoglycoside-phosphotransferases strongly reduce aminoglycoside resistance J. Blázquez, J. Davies & F. Moreno
- 1519 The Rhizobium meliloti exoZ/exoB fragment of megaplasmid 2: ExoB functions as a UDPglucose 4-epimerase and ExoZ shows homology to NodX of Rhizobium leguminosarum biovar viciae strain TOM A. M. Buendia, B. Enenkel, R. Köplin, K. Niehaus, W. Arnold & A. Pühler
- 1531 Enhancement of the invasive ability of Neisseria gonorrhoeae by contact with HeclB, an adenocarcinoma endometrial cell line J. C.-R. Chen, P. Bavoil & V. L. Clark
- 1539 A new system for amplifying 2μm plasmid copy number in Saccharomyces cerevisiae
 S. Unternährer, D. Pridmore & A. Hinnen
- The Haemophilus influenzae capsulation gene cluster: a compound transposon
 J. S. Kroll, B. M. Loynds & E. R. Moxon
- 1561 Transformation of Mycobacterium aurum and Mycobacterium smegmatis with the broad host-range Gram-negative cosmid vector pJRD215
 J. Hermans, C. Martin, G. N. M. Huijberts, T. Goosen & J. A. M. de Bont
- Macronuclear and micronuclear configurations of a gene encoding the protein synthesis elongation factor EF 1α in Stylonychia lemnae
 P. Bierbaum, T. Dönhoff & A. Klein

MicroReviews

- 1577 Mucoid Pseudomonas aeruginosa in cystic fibrosis: signal transduction and histone-like elements in the regulation of bacterial virulence
 V. Deretic, C. D. Mohr & D. W. Martin
- 1585 TyrR protein of Escherichia coli and its role as repressor and activator A. J. Pittard & B. E. Davidson
- Regulation of methionine synthesis in Escherichia coli
 H. Weissbach & N. Brot
- 1599 Regulation of capsular polysaccharide synthesis in *Escherichia coli* K12
 S. Gottesman & V. Stout
- 1607 Filamentous phage assembly M. Russel

- 1615 The repair of double-strand breaks and S1 nuclease-sensitive sites can be monitored chromosome-specifically in Saccharomyces cerevisiae using pulsed-field gel electrophorsesis

 E.-M. Geigl & F. Eckardt-Schupp
- 1621 Thirty-three nucleotides of 5' flanking sequence including the 'TATA' box are necessary and sufficient for efficient U2 snRNA transcription in Schizosaccharomyces pombe

 T. Dandekar & D. Tollervey
- Topographic analysis of the toxic Gef protein from Escherichia coli
 L. K. Poulsen, A. Refn, S. Molin & P. Andersson
- 1639 The gef gene from Escherichia coli is regulated at the level of translation L. K. Poulsen, A. Refn, S. Molin & P. Andersson
- 1649 Cloning and sequencing of the structural gene for the porin protein of Bordetella pertussis
 Z. M. Li, J. H. Hannah, S. Stibitz, N. Y. Nguyen, C. R. Manclark & M. J. Brennan
- 1657 Substitutions at a single amino acid residue in the nitrogen-regulated activator protein NTRC differentially influence its activity in response to phosphorylation
 R. Dixon, T. Eydmann, N. Henderson & S. Austin
- 1669 In vitro activation of Escherichia coli prohaemolysin to the mature membranetargeted toxin requires HlyC and a low molecular-weight cytosolic polypeptide K. R. Hardie, J.-P. Issartel, E. Koronakis, C. Hughes & V. Koronakis
- 1681 Preferential cytoplasmic location of FtsZ, a protein essential for Escherichia coli septation J. Pla, M. Sánchez, P. Palacios, M. Vicente & M. Aldea

- 1687 A gene in the archaebacterium Sulfolobus solfataricus that codes for a protein equivalent to the alpha subunits of the signal recognition particle receptor in eukaryotes

 C. Ramirez & A. T. Matheson
- 1695 The three-dimensional structure of the regular surface protein of Comamonas acidovorans derived from native outer membranes and reconstituted two-dimensional crystals H. Engelhardt, S. Gerbl-Rieger, U. Santarius & W. Baumeister
- Both genes for EF-1α in Candida albicans are translated
 P. Sundstrom, M. Irwin, D. Smith & P. S. Sypherd
- 1707 Possible role of calmodulin in the secretion of Entamoeba histolytica electron-dense granules containing collagenase M. de L. Muñoz, M. A. Moreno, J. N. Pérez-Garcia, G. R. Tovar & V. I. Hernandez
- 1715 Purification and mutant analysis of Citrobacter freundii AmpR, the regulator for chromosomal AmpC β-lactamase
 E. Bartowsky & S. Normark
- 1727 Expression of the fibronectin-binding components of *Streptococcus pyogenes* in *Escherichia coli* demonstrates that they are proteins
 S. R. Talay, E. Ehrenfeld, G. S. Chhatwal & K. N. Timmis
- Marker exchange mutagenesis of the hydN genes in Desulfovibrio fructosovorans
 M. Rousset, Z. Dermoun, M. Chippaux & J. P. Bélaich
- 1741 Absence of acetohydroxy acid synthetase III in Salmonella typhimurium is due to early termination of translation within the iIvI gene E. Ricca, C. T. Lago, M. Sacco & M. De Felice
- 1745 The mdoA locus of Escherichia coli consists of an operon under osmotic control
 J.-M. Lacroix, I. Loubens, M. Têmpete,
 B. Menichi & J.-P. Bohin
- 1755 Analysis of structure and function of the B subunit of cholera toxin by the use of site-directed mutagenesis
 M. G. Jobling & R. K. Holmes
- 1769 Deletion of the COX7 gene in Saccharomyces cerevisiae reveals a role for cytochrome c oxidase subunit VII in assembly of remaining subunits K. M. Calder & J. E. McEwen
- 1779 Characterization of the oriT region of the IncFV plasmid pED208
 L. Di Laurenzio, L. S. Frost, B. B. Finlay & W. Paranchych
- 1791 Differential decay of a polycistronic Escherichia coli transcript is initiated by RNase E-dependent endonucleolytic processing P. Nilsson & B. E. Uhlin

- 1801 Location of the RNA-processing enzymes RNase III, RNase E and RNase P in the Escherichia coli cell A. Miczak, R. A. K. Srivastava & D. Apirion
- Secretion of a potential virulence factor, a fungal ribonucleotoxin, during human aspergillosis infections
 Lamy, M. Moutaouakil, J.-P. Latge & J. Davies

MicroReviews

- 1817 The pathogenic mechanisms of Shiga toxin and the Shiga-like toxins
 V. L. Tesh & A. D. O'Brien
- 1823 Regulation of retrotransposition in Saccharomyces cerevisiae M. J. Curcio & D. J. Garfinkel

- The role of pili in the interactions of pathogenic *Neisseria* with cultured human endothelial cells
 M. Virji, H. Kayhty, D. J. P. Ferguson,
 C. Alexandrescu, J. E. Heckels & E. R. Moxon
- 1843 The Entamoeba histolytica rDNA episome: nuclear localization, DNAse I sensitivity map, and specific DNA-protein interactions M. Zurita, A. Alagón, J. Vargas-Villareal & P. M. Lizardi
- 1853 Cloning and expression of the rfe-rff gene cluster of Escherichia coli M. Ohta, K. Ina, K. Kusuzaki, N. Kido, Y. Arakawa & N. Kato
- 1863 Structure of two retrons of Escherichia coli and their common chromosomal insertion site
- 1873 Cloning of the rfb gene cluster of a group C2 Salmonella strain: comparison with the rfb regions of groups B and D P. K. Brown, L. K. Romana & P. R. Reeves
- 1883 Complement activation and antibody binding by pneumolysin via a region of the toxin homologous to a human acute-phase protein T. J. Mitchell, P. W. Andrew, F. K. Saunders, A. N. Smith & G. J. Boulnois
- The opacity proteins of Neisseria gonorrhoeae strain MS11 are encoded by a family of 11 complete genes
 K. S. Bhat, C. P. Gibbs, O. Barrera,
 S. G. Morrison, F. Jähnig, A. Stern,
 E.-M. Kupsch, T. F. Meyer & J. Swanson
- A Bacillus subtilis dipeptide transport system expressed early during sporulation
 C. Mathiopoulos, J. P. Mueller, F. J. Slack,
 C. G. Murphy, S. Patankar, G. Bukusoglu &
 A. L. Sonenshein

- 1915 Transcriptional regulation of a Bacillus subtilis dipeptide transport operon
 F. J. Slack, J. P. Mueller, M. A. Strauch,
 C. Mathiopoulos & A. L. Sonenshein
- 1927 The spoillA operon of Bacillus subtilis defines a new temporal class of mother-cell-specific sporulation genes under the control of the $\sigma^{\rm E}$ form of RNA polymerase N. Illing & J. Errington
- Site-specific insertion of genes into integrons:
 role of the 59-base element and determination of the recombination cross-over point
 R. M. Hall, D. E. Brookes & H. W. Stokes
- 1961 The rifampicin-inducible genes srnB from F and pnd from R483 are regulated by antisense RNAs and mediate plasmid maintenance by killing of plasmid-free segregants A. K. Nielsen, P. Thorsted, T. Thisted, E. G. H. Wagner & K. Gerdes
- 1975 Closely linked genetic loci required for swarm cell differentiation and multicellular migration by *Proteus mirabilis* C. Allison & C. Hughes
- 1983 Regulation of nitrogen fixation in Azorhizobium caulinodans: identification of a fixK-like gene, a positive regulator of nifA P. A. Kaminski, K. Mandon, F. Arigoni, N. Desnoues & C. Elmerich
- 1993 Interspecies recombinational events during the evolution of altered PBP 2x genes in penicillin-resistant clinical isolates of Streptococcus pneumoniae G. Laible, B. G. Spratt & R. Hakenbeck
- 2003 Pseudomonas aeruginosa LasA: a second elastase under the transcriptional control of lasR
 D. S. Toder, M. J. Gambello & B. H. Iglewski
- 2011 Simultaneous expression of a bacteriophage Mu transposase and repressor: a way of preventing killing due to mini-Mu replication A. Toussaint, D. Expert & L. Desmet
- Characterization of a Legionella pneumophila gene encoding a lipoprotein antigen
 N. C. Engleberg, D. C. Howe, J. E. Rogers,
 J. Arroyo & B. I. Eisenstein
- 2031 Transcription of the *Vibrio cholerae* haemolysin gene, *hlyA*, and cloning of a positive regulatory locus, *hlyU*S. G. Williams & P. A. Manning
- 2039 Evolved neomycin phosphotransferase from an isolate of Klebsiella pneumoniae K.-Y. Lee, J. D. Hopkins & M. Syvanen
- 1S900-promoted stable integration of a foreign gene into mycobacteria
 P. M. England, S. Wall & J. McFadden
- 2053 Repression and induction of the nag regulon of Escherichia coli K-12: the roles of nagC and nagA in maintentance of the uninduced state J. A. Plumbridge

2063 Bacillus subtilis cytochrome oxidase mutants: biochemical analysis and genetic evidence for two aa₃-type oxidases J. van der Oost, C. von Wachenfeld, L. Hederstedt & M. Saraste

L. Hederstedt & IVI. Garaste

VOLUME 5 NUMBER 9

MicroReviews

- 2073 PhoP/PhoQ: macrophage-specific modulators of Salmonella virulence?
 S. I. Miller
- 2079 Control of maltase synthesis in yeast R. Needleman
- 2085 The role of the 'gearbox' in the transcription of essential genes
 M. Vicente, S. R. Kushner, T. Garrido & M. Aldea
- 2093 Energy requirements for protein translocation across the *Escherichia coli* inner membrane B. L. Geller
- 2099 Occurrence and biological function of cytochrome P450 monooxygenases in the actinomycetes
 D. P. O'Keefe & P. A. Harder

- 2107 The products of Rhizobium genes, psi and pss, which affect exopolysaccharide production, are associated with the bacterial cell surface J. W. Latchford, D. Borthakur & A. W. B. Johnston
- 2115 Illegitimate integration of non-replicative vectors in the genome of *Rhodococcus fascians* upon electrotransformation as an insertional mutagenesis system

 J. Desomer, M. Crespi & M. Van Montagu
- 2125 Pseudomonas aeruginosa LasB mutant constructed by insertional mutagenesis reveals elastolytic activity due to alkaline proteinase and the LasA fragment C. Wolz, E. Hellstern, M. Haug, D. R. Galloway, M. L. Vasil & G. Döring
- 2133 Binding of basement-membrane laminin by Escherichia coli K. H. Valkonen, J. Veijola, B. Dagberg & B. E. Uhlin
- 2143 Molecular cloning, characterization and analysis of the regulation of the ARO2 gene, encoding chorismate synthase, of Saccharomyces cerevisiae D. G. L. Jones, U. Reusser & G. H. Braus
- 2153 The bacterial porin superfamily: sequence alignment and structure prediction
 D. Jeanteur, J. H. Lakey & F. Pattus
- Characterization of two insertion sequences, IS701 and IS702, from the cyanobacterium Calothrix species PCC 7601
 D. Mazel, C. Bernard, R. Schwarz, A. M. Castets, J. Houmard & N. Tandeau de Marsac

- 2171 Construction of a physical map of the chromosome of *Shigella flexneri* 2a and the direct assignment of nine virulence-associated loci identified by Tn5 insertions
 N. Okada, C. Sasakawa, T. Tobe, K. A. Talukder, K. Komatsu & M. Yoshikawa
- 2181 Separate promoters direct expression of phoAIII, a member of the Bacillus subtilis alkaline phosphatase multigene family, during phosphate starvation and sporulation R. S. Chesnut, C. Bookstein & F. M. Hulett
- 2191 Analysis of an Erwinia chrysanthemi gene cluster involved in pectin degradation
 S. Reverchon, W. Nasser & J. Robert-Baudouy
- Characterization of kdgR, a gene of Erwinia chrysanthemi that regulates pectin degradation.
 S. Reverchon, W. Nasser & J. Robert-Baudouy
- 2217 Nucleotide sequence of the *ipaBCD* structural genes of *Shigella dysenteriae*R. Yao & S. Palchaudhuri
- 2223 Molecular cloning and expression in Escherichia coli K-12 of the rfb gene cluster determining the O antigen of an E. coli O111 strain D. A. Bastin, L. K. Romana & P. R. Reeves
- 2233 The sugar-specific outer membrane channel ScrY contains functional characteristics of general diffusion pores and substrate-specific porins K. Schülein, K. Schmid & R. Benz
- 2243 In vivo analysis of integration of membrane proteins in Escherichia coli K. Ito & Y. Akiyama
- 2255 Horizontal transfer of multiple penicillinbinding protein genes, and capsular biosynthetic genes, in natural populations of Streptococcus pneumoniae T. J. Coffey, C. G. Dowson, M. Daniels, J. Zhou, C. Martin, B. G. Spratt and J. M. Musser
- 2261 Cloning of a sequence of Aquaspirillum
 magnetotacticum that complements the aroD
 gene of Escherichia coli
 A. E. Berson, D. V. Hudson & N. S. Waleh
- 2265 IS901, a new member of a widespread class of atypical insertion sequences, is associated with pathogenicity in *Mycobacterium avium* Z. M. Kunze, S. Wall, R. Appelberg, M. T. Silva, F. Portaels & J. J. McFadden
- 2273 Pleiotropic control of Listeria monocytogenes virulence factors by a gene that is autoregulated J. Mengaud, S. Dramsi, E. Gouin, J. A. Vazquez-Boland & P. Cossart
- 2285 Sequencing, mutational analysis, and transcriptional regulation of the Escherichia coli htrB gene
 M. Karow & C. Georgopoulos

2293 Genetic mapping of starch- and Lambdareceptor sites in maltoporin: identification of substitutions causing direct and indirect effects on binding sites by cysteine mutagenesis

G. Francis, L. Brennan, S. Stretton & T. Ferenci

VOLUME 5 NUMBER 10

MicroReviews

- 2303 Yeast genes involved in DNA-repair processes: new looks on old faces E. C. Friedberg
- 2311 Radiation research in Schizosaccharomyces pombe S. Subramani
- 2315 Pseudomonas aeruginosa elastase and elastolysis revisited: recent developments D. R. Galloway
- 2323 Sensory transduction in ther gliding bacterium Myxococcus xanthus D. R. Zusman & M. J. McBride
- 2331 Yeast dsRNA viruses: replication and killer phenotypes D. J. Tipper & M. J. Schmitt
- 2339 K1 killer toxin, a pore-forming protein from yeast H. Bussey
- 2345 An Agrobacterium two-component regulatory system for the detection of chemicals released from plant wounds S. C. Winans

- 2351 H-DNA formation by the coding repeat elements of neisserial opa genes R. J. Belland
- 2361 The 120 kilodalton outer membrane protein (rOmp B) of Rickettsia rickettsii is encoded by an unusually long open reading frame: evidence for protein processing from a large precursor R. D. Gilmore, Jr, W. Cieplak, Jr, P. F. Policastro & T. Hackstadt
- 2371 deoP1 promoter and operator mutants in Escherichia coli: isolation and characterization G. Dandanell & K. Hammer
- 2377 Characterization of a plasmid from Helicobacter pylori encoding a replication protein common to plasmids in Gram-positive bacteria H. Kleanthous, C. L. Clayton & S. Tabaqchali
- 2391 Mutational analysis supports a role for multiple structural features in the C-terminal secretion signal of Escherichia coli haemolysin P. Stanley, V. Koronakis and C. Hughes

- 2405 Identification of Treponema pallidum subspecies pallidum genes encoding signal peptides and membrane-spanning sequences using a novel alkaline phosphatase expression vector D. R. Blanco, M. Giladi, C. I. Champion, D. A. Haake, G. K. Chikami, J. N. Miller & M. A. Lovett
- 2417 Isolation and characterization of osmosensitive vacuolar mutants of Saccharomyces cerevisiae M. Latterich & M. D. Watson
- 2427 Characterization, localization and transmembrane organization of the three proteins PrtD, PrtE and PrtF necessary for protease secretion by the Gram-negative bacterium Erwinia chrysanthemi P. Delepelaire & C. Wandersman
- 2435 Sequence variation in two ipaH genes of Shigella flexneri 5 and homology to the LRGlike family of proteins M. M. Venkatesan, J. M. Buysse & A. B. Hartman
- 2447 Differential gene expression from the Escherichia coli atp operon mediated by segmental differences in mRNA structure and translational efficiency J. E. G. McCarthy, B. Gerstel, B. Surin, U. Wiedemann & P. Ziemke
- 2459 DNA sequence determination of the TOL plasmid (pWW0) xylGFJ genes of Pseudomonas putida: implications for the evolution of aromatic catabolism J. M. Horn, S. Harayama & K. N. Timmis
- 2475 Analysis of Haemophilus influenzae type b lipooligosaccharide-synthesis genes that assemble or expose a 2-keto-3-deoxyoctulosonic acid epitope Y. Abu Kwaik, R. E. McLaughlin, M. A. Apicella & S. M. Spinola
- 2481 Structural and genetic analysis of the bvg locus in Bordetella species B. Aricò, V. Scarlato, D. M. Monack, S. Falkow & R. Rappuoli
- 2493 The bvg-dependent promoters show similar behaviour in different Bordetella species and share sequence homologies V. Scarlato, A. Prugnola, B. Aricò & R. Rappuoli
- 2499 Site-specific integration of the Streptomyces plasmid pSAM2 in Mycobacterium smegmatis C. Martín, P. Mazodier, M. V. Mediola, B. Gicquel, T. Smokvina, C. J. Thompson & J. Davies
- 2503 Environmentally regulated algD promoter is responsive to the cAMP receptor protein in Escherichia coli J. D. DeVault, W. Hendrickson, J. Kato & A. M. Chakrabarty
- 2511 Analysis of the topology of the cytochrome d terminal oxidase complex of Escherichia coli by alkaline phosphatase fusions G. Newton, C.-H. Yun & R. B. Gennis

- 2519 The hydrogenase structural operon in Rhodobacter capsulatus contains a third gene, hupM, necessary for the formation of a physiologically competent hydrogenase B. Cauvin, A. Colbeau & P. M. Vignais
- 2529 Physical and genetic map of the Neisseria gonorrhoeae strain MS11-N198 chromosome A. Bihlmaier, U. Römling, T. F. Meyer, B. Tümmler & C. P. Gibbs
- 2541 Role of plasmid multimers in mutation to tetracycline resistance
 L. Boe & M. G. Marinus
- 2547 Distinguishing between the extracellular DNases of Vibrio cholerae and development of a transformation system
 T. Focareta & P. Manning
- 2557 Analysis of the haemolysin transport process through the secretion from Escherichia coli of PCM, CAT or β-galactosidase fused to the Hly C-terminal signal domain B. Kenny, R. Haigh and I. B. Holland

MicroReviews

- 2569 Tn7: a target site-specific transposon N. L. Craig
- 2575 The role of the NAC protein in the nitrogen regulation of *Klebsiella aerogenes*R. A. Bender
- 2581 Pseudomonad replication origins: a paradigm for bacterial origins?
 D. W. Smith, T. W. Yee, C. Baird & V. Krishnapillai
- Structure and function of DnaA and the DnaAbox in eubacteria: evolutionary relationships of bacterial replication origins
 H. Yoshikawa & N. Ogasawara
- 2599 Regulation of sod genes in Escherichia coli: relevance to superoxide dismutase function J. A. Fee
- 2611 Structure and function of pneumolysin, the multifunctional, thiol-activated toxin of Streptococcus pneumoniae
 G. J. Boulnois, J. C. Paton, T. J. Mitchell & P. W. Andrew
- 2617 Microbial pathogenesis and tyrosine dephosphorylation: surprising 'bedfellows' J. C. Clemens, K. Guan, J. B. Bliska, S. Falkow & J. E. Dixon
- 2621 Activation of cholera toxin and Escherichia coli heat-labile enterotoxins by ADP-ribosylation factors, a family of 20 kDa guanine nucleotide-binding proteins
 J. Moss & M. Vaughan

Research Articles

2629 Escherichia coli molecular genetic map (1500 bp): update II
 C. Médigue, A. Viari, A. Hénaut & A. Danchin

- 2641 Export of infectious particles by Escherichia coli transfected with the RF DNA of Pf1, a virus of Pseudomonas aeruginosa strain K
 L. G. Kostrikis, S. A. Reisberg, M. N. Simon,
 J. S. Wall & L. A. Day
- 2649 DNA sequencing and complementation/ deletion analysis of the bchA-puf operon region of Rhodobacter sphaeroides: in vivo mapping of the oxygen-regulated puf promoter C. N. Hunter, P. McGlynn, M. K. Ashby, J. G. Burgess & J. D. Olsen
- 2663 Targeting and assembly of an oligomeric bacterial enterotoxoid in the endoplasmic reticulum of Saccharomyces cerevisiae
 O. Schonberger, T. R. Hirst & O. Pines
- 2673 The kilA operon of promiscuous plasmid RK2: the use of a transducing phage (λpklA-1) to determine the effects of the lethal klaA gene on Escherichia coli cells
 L. H. Saltman, K.-S. Kim & D. H. Figurski
- 2685 The kis and kid genes of the parD maintenance system of plasmid R1 form an operon that is autoregulated at the level of transcription by the co-ordinated action of the Kis and Kid proteins

 M. J. Ruiz-Echevarria, A. Berzal-Herranz,
 K. Gerdes & R. Diaz-Orejas
- 2695 Identification of cfxR, an activator gene of autotrophic CO₂ fixation in Alcaligenes eutrophus
 U. Windhövel & B. Bowien
- The merR regulatory gene in Thiobacillus ferrooxidans is spaced apart from the mer structural genes
 Inoue, K. Sugawara & T. Kusano
- 2719 Escherichia coli rpoA mutation which impairs transcription of positively regulated systems M. S. Thomas & R. E. Glass
- Investigation of the specificity of the interaction between colicin E9 and its immunity protein by site-directed mutagenesis
 M. D. Curtis & R. James
- 2735 Identification of a nifA-like regulatory gene of Azospirillum brasilense Sp7 expressed under conditions of nitrogen fixation and in the presence of air and ammonia Y. Y. Liang, P. A. Kaminski & C. Elmerich
- Site-directed mutagenesis at histidines of aerolysin from Aeromonas hydrophila: a lipid planar bilayer study
 H. U. Wilmsen, J. T. Buckley & F. Pattus
- 2753 Magnesium transport in Salmonella typhimurium: the influence of new mutations conferring Co²⁺ resistance on the CorA Mg²⁺ transport system M. M. Gibson, D. A. Bagga, C. G. Miller & M. E. Maquire

- 2763 New approaches in genome analysis by pulsed-field gel electrophoresis: application to the analysis of *Pseudomonas* species D. Grothues & B. Tümmler
- 2777 The tonB gene of Serratia marcescens: sequence, activity and partial complementation of Escherichia coli tonB mutants S. Gaisser & V. Braun
- 2789 An amplifiable and deletable chloramphenicolresistance determinant of *Streptomyces lividans* 1326 encodes a putative transmembrane protein W. Dittrich. M. Betzler & H. Schrempf
- 2799 The C-terminal domain of the toxic fragment of a Bacillus thuringiensis crystal protein determines receptor binding
 G. Honée, D. Convents, J. Van Rie, S. Jansens, M. Peferoen & B. Visser
- 2807 Mechanism of regulation of the formatehydrogenlyase pathway by oxygen, nitrate, and pH: definition of the formate regulon R. Rossmann, G. Sawers and A. Böck
- 2815 Skp is a periplasmic Escherichia coli protein requiring SecA and SecY for export B. M. Thome & M. Müller
- 2823 Regulation of toxA and regA by the Escherichia coli fur gene and identification of a Fur homologue in Pseudomonas aeruginosa PA103 and PA01

 R. W. Prince, D. G. Storey, A. I. Vasil & M. L. Vasil
- 2833 Three in-frame N-terminally different proteins are produced from the repressor locus of the Streptomyces bacteriophage φC31 M. C. M. Smith & C. E. Owen
- A protein kinase gene complements the lytic phenotype of Saccharomyces cerevisiae lyt2 mutants
 L. Torres, H. Martín, M. I. García-Saez, J. Arroyo, M. Molina, M. Sánchez & I. Nombela

MicroReviews

- 2855 Leader peptidase R. E. Dalbey
- 2861 The use of a rare codon specifically during development?
 B. K. Leskiw, M. J. Bibb & K. F. Chater
- 2869 Dissecting the functional role of PriA proteincatalysed primosome assembly in *Escherichia coli* DNA replication K. H. Zavitz & K. J. Marians
- 2875 Alternative sigma factors and the regulation of flagellar gene expression
 J. D. Helmann

- 2883 Evidence for a TonB-dependent energy transduction complex in Escherichia coli J. T. Skare & Postle
- 2891 Expression of the gene encoding glycerol-3phosphate dehydrogenase (glpD) in Bacillus subtilis is controlled by antitermination C. Holmberg & B. Rutberg
- 2901 Cloning, characterization and expression of the Zymomonas mobilis eda gene that encodes 2-keto-3-deoxy-6-phosphogluconate aldolase of the Entner-Doudoroff pathway T. Conway, R. Fliege, D. Jones-Kilpatrick, J. Liu, W. O. Barnell & S. E. Egan
- 2913 Molecular analysis of two fructokinases involved in sucrose metabolism of enteric bacteria
 P. Aulkemeyer, R. Ebner, G. Heilenmann, K. Jahreis, K. Schmid, S. Wrieden & J. W. Lengeler
- Characterization of an oxytetracyclineresistance gene, otrA, of Streptomyces rimosus
 D. Doyle, K. J. McDowall, M. J. Butler & I. S. Hunter
- 2935 Response of Escherichia coli cell membranes to induction of λ cl857 prophage by heat shock K. Kucharczyk, E. Laskowska & A. Taylor
- 2947 Genetic diversity among the T-protein genes of group A streptococci K. F. Jones, O. Schneewind, J. M. Koomey & V. A. Fischetti
- 2953 RNaseIII activation of bacteriophage λ N synthesis
 L. Kameyama, L. Fernandez, D. L. Court & G. Guarneros
- 2965 Multifunctional nature of P fimbriae of uropathogenic Escherichia coli: mutations in fsoE and fsoF influence fimbrial binding to renal tubuli and immobilized fibronectin B. Westerlund, I. van Die, C. Kramer, P. Kuusela, H. Holthöfer, A.-M. Tarkkanen, R. Virkola, N. Riegman, H. Bergmans, W. Hoekstra & T. K. Korhonen
- 2977 A protein kinase C-like activity in Escherichia coli
 V. Norris, T. J. Baldwin, S. T. Sweeney,
 P. H. Williams & K. L. Leach
- 2983 A host factor absent from Lactococcus lactis subspecies lactis MG1363 is required for conjugative transposition
 F. Bringel, G. L. Van Alstine & J. R. Scott
- 2995 Molecular analysis of the Corynebacterium glutamicum lysl gene involved in lysine uptake A. H. Seep-Feldhaus, J. Kalinowski & A. Pühler
- 3007 Molecular action of tricholin, a ribosome-inactivating protein isolated from *Trichoderma viride* A. Lin, C.-K. Chen & Y.-J. Chen

- 3015 Co-operative autoregulation of a replication protein gene
 A. E. Gammie & J. H. Crosa
- 3025 Chloramphenicol-induced stabilization of cat messenger RNA in Bacillus subtilis J. Dreher & H. Matzura
- 3035 Involvement of the syrM and nodD3 genes of Rhizobium meliloti in nod gene activation and in optimal nodulation of the plant host E. Kondorosi, M. Buiré, M. Cren, N. Iyer, B. Hoffmann & A. Kondorosi
- 3049 A cytosine- over guanosine-rich sequence in RNA activates rho-dependent transcription termination
 F. Rivellini, P. Alifano, C. Piscitelli, V. Blasi, C. B. Bruni & M. S. Carlomagno
- 3055 Purification, characterization and nucleotide sequence of the periplasmic C4-dicarboxylatebinding protein (DctP) from Rhodobacter capsulatus J. G. Shaw, M. J. Hamblin & D. J. Kelly
- 3063 Prevalence of gene sequences coding for hypervariable regions of Opa (protein II) in Neisseria gonorrhoeae
 G. F. Brooks, L. Olinger, C. J. Lammel, K. S. Bhat, C. A. Calvello, M. L. Palmer, J. S. Knapp & R. S. Stephens

3073 Molecular cloning and transcriptional analysis of the cpeBA operon of the cyanobacterium Pseudanabaena species PCC 7409
J. M. Dubbs & D. A. Bryant

Addendum

3087 The par region of pSC101 affects plasmid copy number as well as stability
D. Manen, T. Goebel & L. Caro

Errata

- 3089 Cloning, expression and surface analysis of the gene encoding the 120 kDa surfaceexposed protein of *Rickettsia rickettsii* R. D. Gilmore, Jr, N. Joste & G. A. McDonald
- Isolation and properties of the RepA1 protein of the IncFII replicon, RepFIC
 R. Mass, J. Oppenheim, S. Saadi, T. Fuchs & W. K. Maas
- 3090 Pro-peptide as an intermolecular chaperone: renaturation of denatured subtilisin E with a synthetic pro-peptide Y. Ohta, H. Hojo, A. Aimoto, T. Kobayashi, X. Zhu, F. Jordan & M. Inouye

Indexes

3091 Keyword Index

3101 Author Index

